

Mechanical Laboratory

05-077 Warszawa-Wesoła, ul. Klonowa 22 tel.: +48 603 23-26-45, e-mail: cbc.mech.test@gmail.com, www.cbc.org.pl

Date 13.12.2021

TEST REPORT NO. CBC-256/2021

Page 1 of 17

Subject of testing:

Manual lightweight wheelchair

Classification according to

PN-EN ISO 9999:2017-02: 12 21 03

Type / Model:

ICON 60

SN.: (01)059074678073 55(11)211020(21)0008 Art. Nr.: RW06048BK3

Number of specimens: 1

Manufacturer:

REHASENSE Sp. z o.o.

ul. Sulejowska 45 G.

97-300 Piotrków Trybunalski

Applicant:

REHASENSE Sp. z o.o.

ul. Sulejowska 45 G. 97-300 Piotrków Trybunalski

Kind of testing

Testing scope according to application of Client

Mechanical testing for conformity with PN-EN 12183 : 2014;

PN-EN 12182:2012; ISO 7176-part 1, 3, 5, 7, 8, PN-EN 1021-1:2007

Test started: 1.12.2021

Test finished: 13.12.2021

Approved by:

Andrzej Tkaczyk

Special comments / enclosures:

1) Annex 1-3 - Identyfication of wheelchair elements

Copyright © 2012 by Centre for Testing and Certification (applicable to report form)

Test results refer only to tested units.

Test results reported here are not applicable to the further modifications of the product affecting its structure, material or technology. This test report shall be neither copied differently as in the whole nor be published without written consent of the Laboratory.



Report no.: CBC-256/2021

Page: 2 of 17

CHARACTERISTIC OF MANUALLY PROPELLED WHEELCHAIR

Maximum load capac	eity: 120 kg	Ove	rall mass of wheelchair: 13,09kg	
Dimensions:	1-	Description	22,000	Comment
Dimensions:	Length:		810 mm	
	Height (max.)		780 mm	
C 4 4 25	Width:		742 mm	
Construction of frame:			Aluminum	
	Method of fastening	g frame elements:	Welding/rivets/bolts	
The state of the s	Folding/unfolding:		Unfolding	+
Drive wheels	Ø external:		495 mm	
	Ø pipe:		19 mm	
	Material:		Aluminum	1
	Way of fastening to	driven wheel:	Scrows	-
Dir	Number of fastening	g points to driven whee	l: 6	1
Driving wheels	Material of ring of a	wheel:	Aluminum	-
	Dimension of tyre:		ø610mm, szer.56,5mm	24x2/50-
	Pressure:			507540
			35-70PSI/2,5-5BAR	
	Way of fastening wh	eel to construction:	Quick connector	
	Vertical adjustment	(number of fixing posi	tions) YES 3	
	Inclination and ustme	nt (number of fixing p	ositions): YES 6	
	Inclination angle adj Inclination angle:	ustment:	NO	
Castor wheels	Ø of wheel:		1,8°	
outer wheels	Width:		98 mm	
			34 mm	
	Material of ring of a Material of fork:	wheel:	Aluminum	
		,	Aluminum	
	Vertical adjustment	(number of fixing posit	ions) YES 3	
-	Adirector adjustmen	nt (number of fixing po	sitions): NO	
Backrest	Adjustment of axis in	clination angle:	YES	
_	Folding/unfolding:		Folding	
	Backrest inclination	stepless:	NO	
	adjustment	number of fixing pos	itions NO	
-	Two singular:		NO	
	One lateral:		NO	
	Kind:		NO	
arking brake	Left:		YES	
	Right:		YES	
1	Kind:		Hand brake	
<u> </u>	Material of lever:		Plastic	
1	Fastening to frame:		Using the clamp	
	Way of adjustment:		With screws and clamp stabilizing position of break	
pholstery N	laterial:		towards tyre Nylon	
	Colour:		Black	
heel space in forward di	irection position:		393 mm	
heel space in backward	direction positions		393 mm 430 mm	1

NOTE. Measurements were made in the wheelchair with factory regulations (photo)



Mechanica	Laboratory of CBC	Report no.: CBC-256/2)21	
Legrests	Comments	Page: 3 o		
Degresis	Common for both legs:	YES		
	Separate for each leg:	NO		
	Stationary:	YES		
	Folding:	NO		
	Vertical adjustment (number of fixing positions)	YES 4		
	Horizontal adjustment (number of fixing positions):	NO NO		
	Angle adjustment (number of fixing positions):	NO		
	Material of legrest:	Aluminum		
Accessories	Seat belt	NO		
	Anti-overturn device:	NO		
	Anterior pelvic support:	YES		
	Service:			
	PHOTO OF WHEELCHAIR	YES		







Report no.: CBC-256/2021 Page: 4 of 17

TESTING

pplied
YES
YES
NO
YES
NO
YES
NO
YES
NO
YES
YES
NO
NO
NO
NO
YES
NO
NO
NO
NO

RESULT OF MECHANICAL	TESTS	ACCORDING	TO P	'N-EN 12182

Requirements a according to clause	Test method according to clause	Checked characteristics/assemblies/parameters	Test result	Opinion	Comments
4.1	4.8, 5.2, 5.4.2, 5.5, 6, 8.2.1, 9.4, 10, 22, 24 i EN 1441	Risk analysis		N/T	
4.2	V/I	Expected characteristics and technical documentation	Conf.	Pos.	
4.3	EN ISO 14155	Clinic assessment		N/T	
4.4	V/I	Technical support which can be dismantled	Conf.	Pos.	
4.5	V/I	Single use connections	Conf.	Pos.	
4.6	V/I	Boundary values of user weight	Conf.	Pos.	
4.7	V/I	Immobilising means	Conf.	Pos.	
4.8	V/I, C5	Suitability of the product for people with cognitive impairment		N/T	
440		The presence of the description in the manufacturer's documentation		N/T	
		Materials			
5.1	EN 60601-1-9	Recycling		N/T	
5.2	V/I, B 5.2	Flammability (PN-EN 1021-1:2007)	Conf.	Pos.	
5.2.2	V/I	Upholstered parts, mattresses, bed bases and bedding		N/A	
5.2.3	V/I, EN 1021	Upholstered parts		N/A	
5.2.4	V/I, EN 597	Mattresses and bed bases		N/A N/A	
5.2.5	V/I. EN ISO 12952	Bedding		N/A	SSTING AND

			ratory of CB			Report		C-256/2021 Page: 5 of 17
Requirement s according to clause	Test method according	to clause	characte	Checked eristics/assemblies/parameters	Test result	Opinion		Comments
5.2.6	V/I EN 60695		Moulded parts	3		N/T		
5.3	EN ISO 1		Biological cor	formity and toxicity		N/T		
5.4			Contaminants	and residues		N/A		
	V/I.,B.5.5.1		a p u	Cleaning	Conf.	Pos.	Comm	ents in service manu
	V/I.,B.5.5.1		logions ar natio	Disinfection	Cong.	N/A	Comm	ens in service manu
5.5	V/I., EN 22442 B.5.5	-1	Microbiologica I infections and contamination	Animal tissue		N/A		
5.6	EN ISO		Resistance to o	corrosion		N/T	-	
6			Emitted sound	d and vibration		IV/I		
6.1	EN ISO B6	3746	Noise and vibr	ation		N/A		
6.2	EN ISO	3746	Sound levels a devices	nd frequencies of audible warning		N/A		
6.3	EN ISO	3746	Feeedback		T	N/A		
7	EN 6060 7.2, 7.3,		Electromagneti	c compatibility		N/A		
8			Electrical safet			N/A		
9	V/I			age, leakage, and ingress of liquids		N/A		
10	V/I. Mea	isur.	Surface temper	ature		N/A	dire PN-I ■ requiren with insensi	t ⁰ ≤ 41°C ent does not concern heat ect solar radiation— EN 12182,clause 10a nent concerns only person tiveness of skin (who do n • PN-EN 12182,clause 10a
11	V/I		Sterility			N/A	jeet neut)	- 1 14-LIA 12102, ciause 10e
12	V/I. Mea		Safety of movin		Conf.	Pos.	Comme	nts in service manua
13	V/I. Mea	sur.		aps for parts of the human body	Conf.	Pos.	Commer	nts in service manua
14 15	V/I. Mea			usting mechanisms	Conf.	Pos.	Commen	uts in service manua
	V/I. Mea		Carrying handle		Conf.	Pos.	Commen	its in service manual
16	V/I. Meas			cts which support or suspend users	Conf.	Pos.	IS	were tested by O 7176-8:2014
17				<u>-</u>	Conf.	Pos.		vere tested by O 7176-8:2014
18	V/I, B 1			s, edges and protruding parts	Conf.	Pos.	15	0 7170-0.2014
19	B 19		Hand held assist	ive products		N/A		
20	B 20		Small Parts		Conf.	Pos.	Commen	ts in service manual
21	V/I. Meas EN 60601		Stability			N/R.		vere tested by
22	B 22, V	/I	Forces in soft tis	sues of the human body	Conf.	Pos.	IS	0 7176-1:2014
23	V/I. EN 614-	1	Ergonomic princ	iples		N/T		irements relate to the
			TEST RES	ULTS ACCORDING TO	PN-EN	12183:2	2014	esign process
				7 WHEELCHAIR PERFOR	MANCE	1210012	1014	
quire ents ordin to use	Test method according to clause		Checked ch	aracteristics/assemblies/parar		Test result	Opinio n	Comments
1.1	ISO 7176-1		stability				N/R.	Anti-tip supports required at static stability backwards less than 10°
2.1	PN-ISO 7176-8	Static	, impact and fat	gue strength		Conf.	Pos.	mun 10

		- 1		-	oport in		C-256/2021 Page: 6 of 17
Require ments accordin g to clause	Test method according to clause	c	1	Test esult	Opinion		Comments
7.3.1	7.3.3	Tilting	fatigue strength	Conf.	Pos.	20 00	00 of cycles with full loadin
7.4	PN-ISO 7176-19	Wheelc	chairs for use as seats in motor vehicles		N/T		of wheelchair
7.5 PN-EN 12182			temperature	_	N/A	radio	11°C ■ requirement does no ncern heat of direct solar ation - PN-EN 12182,claus 10a equirement concerns only us with insensitiveness of sk o do not feel heat) - PN-EN 12182,clause 10d
			8 COMPONENT PROPERTIES				100
-	8.1.2	Foot su	pports, lower leg supports and arm supports				
8.1.1	V/I	suppo	Possibility to position the occupant's feet at the required Presence of the technical means to prevent the occupant's from sliding	height s feet	Conf.	Pos.	
		a)	Incorporate a means to locate it securely in any intende operating position	d	Conf.	Pos.	
		ğ (b)	Be adjustable in increments not exceeding 25mm		Conf.	Pos.	
		Root supports, lower leg support assemblies and arm supports (c) (c) (d) (d) (d)	Be accessible and operable by the occupant or an assist both in accordance with the manufacturer's intended us wheelchair	ant or e of the	Conf.	Pos.	
- 1		9 r d)	Be within the reach space shown in Figure 1		Conf.	Pos.	
		es and (f)	Be operable without the use of tools		Conf.	Pos.	
		t supp	Means to prevent the occupant's feet from sliding into the shall be provided, or	. –	Conf.	Pos.	
		Foot asse	The gap between the footrests \leq 35mm or \geq 100mm for and \leq 25mm or \geq 45mm for children	adults	Conf.	Pos.	0 mm
8.2	V/I Measur.	Compon	nent mass				***
		greater th	of the handling devices (e.g. handles) in components of the handles, or	N/O		Required for wheelchain intended to be dismantled for storage of transportation	
8.3	V/I	describin carrying	ion indicating the points where components can be lifted ig how they shall be handled during disassembly, lifting, and assembly available	and	Conf.	Pos.	mass of the heaviest parts 7,965 kg
0.0		Presence					
		Valves sh	of the same type of valve connection on all tyres nould be readily accessible when using the intended inflat	ing	Conf.	Pos.	2 x front + 2 x rear
		tool.			Conf.	Pos.	
8.4		pressure i	of the marking of the tyres or the rims with the maximum in kPa, bar or PSI	1	Conf.	Pos.	
3.5.1	V/L	Resistance	pelvic support e to ignition of upholstered composition parts		Conf.	Pos.	
152	EN 1021-1 EN 1021-2	Resistanc	e to ignition of topholstered composition parts e to ignition of foam materials		Conf.	Pos.	required no progressive
3.5.3			e to ignition of other parts		Conf.	Pos. Pos.	smouldering ignition or flaming ignition
			9 PROPULSION AND BRAKING SY	STEM	cony.	1 03.	
1.1.a			ssibility and possibility to be operated		Conf.	Pos.	
	V/I	2. Locat	tion of brake operation mechanism in the region of access occupants (fig.1)	by	_	N/A	If the wheelchair is intended to be operated and driven only by user
	V/I	3. Locat an as	tion of brake operation mechanism in the region of access ssistant (fig.2)	by	Conf.	Pos.	If the wheelchair is intended to be operated and driven only by an assistant
			ging and disengaging force		50/50N Conf.	Pos.	requirements on force – see table 1
1.1.b		station	wheelchairs with a maximum occupant mass not greater the conceasing applied to each lever to hold the loaded wheel mary on the maximum slope specified by the manufacture ag brake use shall not exceed 60N	chair		N/A	NOT HAVIE I



Require	1	Laboratory of CBC	keport no	eport no.: CBC-256/2021 Page: 7 of 17				
ments according g to clause	method		Test result	Opinio n		Comments		
9.1.1.b		2. For wheelchairs with a maximum occupant mass greater than 150kg the force applied to each lever to hold the loaded wheelchair stationary on the maximum slope specified by the manufacturer for parking brake use should not exceed 60N		N/A				
9.2		3. The handgrip width of such brake levers when no force is applied, measured 15mm from the end of the brake lever, shall not be greater than 100mm and should not be greater than 80mm (fig. 4)		N/A	recom	≤ 100 mm smended ≤ 80 n		
9.2		Braking functions						
9.2.1	9.2.2 ISO7176-3		50/50N Conf	Pos.		ements on force see table 1		
		b. Possibility of adjustment and/or replacement of brake	Conf.	Pos.				
		 No components that protrude above the level of the unoccupied seat when brake is engaged in the wheelchair fitted with movable or removable arm supports 	-	N/A				
		d. No deformation, free play or loss of adjustment that adversely affects the function of the wheelchair	Conf.	Pos.	6	0 000 cycles		
		e. Fatigue strength of parking brake	Conf.	D	60	0 000 cycles		
9.3.1	Measur.	Pushing force		Pos. N/R. (30kg)	f≤0,5 Hz 40N(m≤100kg) 60N(100 <m≤150kg) 70N(150<m≤200kg) 80N(200<m≤250kg)< td=""></m≤250kg)<></m≤200kg) </m≤150kg) 			
10.1		Operations intended to be carried out by the occupant and/or assistant	Conf.	Pos.	0014{2	ww~m≤zovkg <u>)</u>		
10.2		Controls intended for operation by the occupant	Conf.	Pos.				
10.3		Controls intended for operation by an assistant		N/A				
10.4		Push handles and handgrips		14/21	_			
		Location of handles		N/A	acco	rdina to Fia 6		
		Dimensions of handles		N/A	according to Fig. 6 length ≥ 75 mm, $\emptyset \geq 20$ mm and ≤ 50 mm			
IA = 1	10.54	Width of grip (length of grip region)		N/A	<	≤ 100 mm nended ≤ 80 mr		
0.5.1	10.5.2	Operating forces	Conf.	Pos.		nents on force ee table I		
0.6.1	10.6.2	Seating adjustments for tilt and recline systems		N/A	required mechan seating d	ee table I I warning and/o tism precluding adjustment while upant is seating		
-		Accessibility of controls for seating adjustment operated by the occupant		N/A	me occi	quan is seaning		
11	EN 12184	Electrical systems – Electrically powered ancillary equipment		N/A				
12		Information supplied by the manufacturer						
		Information and marking conforming EN 12182 available		N/T				
	10.0	Information and marking conforming ISO7176-15 available		N/T				
	12.2	Pre-sale information available		N/T				
		User information available		N/T				
EN		Service information available		N/T				
2182 1.24.1 24.2	V/I	General						
1.2.1		Instructions for use						
····		Pre-sale Information a) information on how to obtain the user information in a format arrest.						
	1	The second the deep intollingtion in a locally suppression	iate for	_	N/T			
	1	use by people with visual, reading orcognitive disabilities b) all information shall as far as possible be available in Pictogram.						
		z zaz do possible de avaliable ili l'ichigiali			N/T			
		a description of the intended use and the intended environment maintenance instructions, if applicable			N/T			
		e) if an assistive product is intended to be cleaned, a description of the method and suitable cleaning materials, including precautions needed avoid corrosion, if applicable;	ne to		N/T			
	í	if an assistive product is intended to be disinfected, a description of the method and suitable materials, including any precautions needed to avec corrosion, if applicable	ie pid	_	N/T	STIME AND		

1.1001		Laboratory of CBC Report no			
Require	Test		Pa	ge: 8 of	17
ments accordin g to clause	method according to clause	The state of the s	Test result	Opini on	Comme
		g) the overall dimensions (width, length and height) of the assistive product, expressed in millimetres, and its mass, expressed in kilograms, when it is ready for use and, if applicable, when it is folded or dismantled h) the mass expressed in kilograms if the assistive product is ready to the mass expressed in kilograms if the assistive product.	1	N/T	
		has any removable parts that has a mass which is heavier than 10 kg		N/T	
		products, the manufacturer shall state to which products, and how this can be done in a safe way:		N/T	
		 j) warning about dangerous combinations of devices (e.g. cushions for the prevention of decubitus ulcers often only work on correct seat surface) and combinations of flame resistant and non-flame resistant material; k) a list of accessories, detachable parts and material; 		N/T	
		 k) a list of accessories, detachable parts and materials that the manufacturer has determined as being intended for use with the assistive product l) if a programmable controller is fitted, information on the method of 		N/T	
		the effects on performance		N/T	
		m) operator control adjustments n) whether and how the assistive product can be full different to the control adjustments.		N/T	
		whether and how the assistive product can be folded or dismantled to assist in storage or transport instructions regarding transport of the assistive product (e.g. in a car or agree level).	_	N/T	
		p) measured sound power level		N/T	
2182 4.2.2	V/I	User information		N/T	
PRoduce.			- 1		
		User information shall be provided by the manufacturer with each assistive product. Information shall contain all pre-sale warnings and informations and the following as applicable for each assistive product		N/T	
		a) the location and the type of identification number/word on the assistive product shall be given for the unique identification number of the assistive product		N/T	
		b) the intended user		N/T	
		any adjustment or settings required before the assistive product can be used and information on how adjustments or settings affect the assistive product information on adjustment possibilities and the compared to the assistive product.		N/T	
		d) information on adjustment possibilities and the competence required to carry out these adjustments instructions on operation of all controls		N/T	
		the battery type and nominał vottage		N/T	
		s) instructions for battery maintenance		N/T	
		instructions for operating the battery charger, including warnings regarding any potential safety hazards (e.g. a possibility of gas accumulating in the charging area);		N/T N/T	
	j	removable parts;		N/T	
		moving and handling and/or a method for handling during dismantling, assembly or carrying;	-	N/T	
	k T	external sources of heat or cold (e.g. sunlight outdoor environment).		N/T	
		its environment that emit electromagnetic fields (e.g. alarm systems of shops, automatic doors, etc.);	-	N/T	
		by electromagnetic fields {e.g. those emitted by portable telephones, electricity generators or high power sources);	- 1	N/T	
	n)	if the intended purpose of an assistive product cannot be met without a hazard {e.g, holes, V-shaped opening), a warning and instructions on howto operate the assistive product safely;	- 1	V/T	



-		Laboratory of CBC Report no		.: CBC-256/2021			
Require ments	Test		P	age: 9 of	17		
accordin g to clause	method according to clause	Parameters	Tes resu		Comme		
		 if the intended purpose of an assistive product cannot be met without a hazard due to moving parts such as squeezing, a warning and instructions on how to operate the assistive product safely; 	i	N/T			
		p) the level of resistance to ignition of materials and assemblies		N/T			
		 q) information on the recycling of used batteries and other parts of the assistive product; r) expected lifetime of the assistive product. 		N/T			
		- It is recommended to include instructions on how to sotve simple problems for the ease of use.		N/T			
12182		ease of use.	-	N/T			
24.2.3	V/I	Service information					
		The service information shall contain all the pre-sale information, user information and instructions necessary for the maintains.					
		assistive product and for the replacement of parts		N/T			
		information shall contain all the pre-sale information and the user	-	N/T			
		The service information shall be sufficiently detailed concerning preventive inspection, maintenance and calibration, including the frequency of such maintenance.		N/T			
		The service information shall provide information for the safe performance of such routine maintenance necessary to ensure the continued safe use of the assistive product.		N/T			
		Additionalty, the service information shall identify the parts on which preventive inspection and maintenance shall be performed by service personnel, including the periods to be applied and details about the actual performance of such maintenance.		N/T			
12182 24.2.3	V/I	Labelling					
-		year of production for the product		N/T			
		Detachable parts of an assistive product with a mass of more than 10 kilograms shall be marked with the actual mass on the part.	নি ক্ল	N/T			
		Symbole for use in the labelling of medical devices shall be in accordance with EN 980		N/T			
2182 25 2183	V/I	Packaging		101			
2.2		Contents of pre-sale documentation :					
4.02	18	information on how to obtain the user information in a format appropriate for					
	1		-	N/T			
		o) description of the intended occupant of the wheelchair		N/T N/T			
	1 t	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended use		N/T N/T			
	o o	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg)		N/T N/T N/T			
	e f	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions		N/T N/T N/T N/T			
	c d e e f	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm)	 	N/T N/T N/T N/T N/T			
	g h	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°)	 	N/T N/T N/T N/T N/T			
	g h	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°) standard options available for the wheelchair	 	N/T N/T N/T N/T N/T N/T			
	C C C C C C C C C C	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°) standard options available for the wheelchair type of tyres that can be used on the wheelchair	 	N/T			
	g h	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°) standard options available for the wheelchair type of tyres that can be used on the wheelchair operator adjustments	 	N/T N/T N/T N/T N/T N/T			
	c c c c c c c c c c	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°) standard options available for the wheelchair type of tyres that can be used on the wheelchair operator adjustments mass of the heaviest part (kg)	 	N/T			
	c d d d d d d d d d	description of the intended occupant of the wheelchair the intended operator (occupant, assistant or both), a description of the intended use and the intended environment overall dimensions (mm), mass (kg) a clear statement that the wheelchair is larger than the recommended dimensions reversing width (mm) maximum safe slope (°) standard options available for the wheelchair type of tyres that can be used on the wheelchair operator adjustments mass of the heaviest part (kg) whether the removal of parts or accessories intended by the manufacturer to be removed without the use of tools will have adverse or beneficial effects on the wheelchair		N/T			



		Laboratory of CBC Report no.			
Require	Test		Page:	10 of 17	
ments accordin g to clause	method accordi ng to clause	Checked characteristics/assemblies/parameters	Tes	st Opini	
12183 12.3		User information contents		-	-
		- All pre-sale information contents and:			
		a) unique identification number of the last the			
		 a) unique identification number of the wheelchair and information on the location of it b) Adjustments before use of the wheelchair and information on the location of it 		N/T	
		wheelchair's stability		N/T	
		c) information on any adjustments and who is competent do carry out them d) instructions on operation of all control is the limit of the control of the cont	-		
		The state of the s	+-	N/T	
-		c) recommended pressure in tyres in kPa or har	-	N/T	
				N/T N/T	****
		solar radiation		N/T	
-		h) warning of trapping hazard			
		l) level of resistance to ignition of materials and executive		N/T	
		mod detail of the aging and disengaging the drive and the		N/T	
	1	whether and now the wheelchair can be folded to essist:		N/T	
				N/T	
				N/T	
		or aeroplane)		N/T	
		masses of parts that can be removed, carried, moved	-		
	10	points where the component parts can be original for a c		N/T	
	p	if the manufacturer specifies that the wheel 1	-	N/T	
		and recommendations about suitable tiedown and occupant restraints,		N/T	
	q	vehicle, a warning to that effect together with the	_	N/T	
_		not supplied with the wheelchair		N/T	
	(s)				
- 1	10	instructions for preparing the wheelchair for long to the	-	N/T	
	u)		-	N/T	
	(v)	The Wheelchair		N/T	_
		Warning if seating or wheels can be set outside safe limit		N/T	_
		if the overall width or overall length of the wheelchair when it is ready for use exceed the applicable values recommended in A.1.1, a warning concerning access to emergency escape routes		N/T	
	x)	if the characteristics of the wheelchair exceed the limits specified in Annex M of the Technical Specification for Interoperability relationships.		101	
	y)	information on how to find out about product cofety actions.		N/T	
	z)	the expected service life of the wheelchair		N/T	
	aa)	the name and address of the manufacturer		N/T	
	bb)	the name and address of the authorized representation and		N/T	
4 V	/I Ser	vice information contents		N/T	
-	All	pre-sale information contents and			
	All	user information contents and			
	inst	ructions necessary for the maintenance		3.74	
-	insti	ructions necessary for the adjustment		N/T	
	ınstı	ructions necessary for the repair		N/T	
V/	ınstı	ructions necessary for the replacement of parts		N/T	
V/	Lab	ening (on the wheelchair)		N/T	
-	a)	Of the device for disengagement of the drive system (brakes) including:		11/00	
				N/T	
	a wa	rning that the drive system should be re-engaged before an occupant is left tended or attempts to operate the wheelchair	-	N/T	
1		ended or attempts to operate the wheelchair ENTRE FOR TESTING AND CERTIFICATION - MECH-TEST; 05-077 Warszawa - Wesoła, ul. Kionowa 22 echanical Laboratory, tel.: +48 603 23-26-45; e-mail; chc mech test@armill.			- 1

Requir				of CBC		Kep	ort no.	: CBC- Page	256/2 : 11 o			
ments accordi g to clause	method accordin	ng		Checked characteristics/asseml	olies/paramete	ers		Test result	Opini on	Commen s		
		b)		on of attachment points for wheelchair ties if the wheelchair is intended to be used	-down and occup	ant restra	int	N/T				
ļ		c)	A war	ning that the wheelchair is not intended to	he used as a sea	t in a mai	le tor					
			vehicle	e if it is not intended to be used as a seat	in a motor vehicle	2		-	N/T			
Require	Test	T		TEST RESULTS accordi	ng to ISO 717	6-1						
ments according to clause	method	g	Check	ced characteristics/assemblies/pa	rameters	Test result		Opinion	Comments			
PN-EN 12183	10.	(ba	ckwards)	ty of wheelchair facing up to the slope - factory regulations *)		10 °		10 0		N/R	Whon s	tatic stability
	8.	Sta	tic stabili	ty of wheelchair positioned backwards ulations *)	to the slope -	22 0		N/R		When static stability backwards is below 10° anti-overturn		
	12.	Sta	tic stabili	ty of wheelchair positioned sideward up wheelchair with factory regulations (photo)	to the slope	21 "		N/R		s are required		
Require ments accordin	Test method according		Ch	TEST RESULTS according tecked characteristics/assemblies		76-2	Test	Opinio				
g to clause	to clause						result	n	Comment			
4.	7.1.	Stat	Ollity duri	ng start and stop when wheelchair drives ad to operate hand (or foot) steering mech	forwards up to th	e slope	-	N/A	Testing relates			
4.	7.2.	Stab	oility of b	raking during drive forwards and backwa	anism		-	N/A	ele	ectrically		
4.	7.3.	Stab	ility duri	ng turning	ius down the slop	be	-	N/A N/A		owered eelchairs		
				TEST RESULTS according	to PN-ISO 71	76-3		IV/A				
Require ments ccordin	Test method according			Checked	Test res		Op	i				
g to clause	to clause	-		eristics/assemblies/parameters		SUIE	nio		Comm	ents		
PN-EN 12183 9.2 Fab. 1	7.2 V/I Measur.		positione	eness of parking brake of wheelchain and forwards down the slope	13,0° wheel ro	0	Pos	No ro	ntation or wheel spin n wheelchair is on ned plane of 7° slope tirements of PN-EN 83 cl. 14 Tab. 1)			
PN-EN 12183 9.2 Fab. 1 PN-EN	7.2 V/I Measur.		positione	ness of parking brake of wheelchair d backwards down the slope NOTE 2	Conf. 13,5 wheel ro	-0	Pos.	inclina inclina inclina				
12183 9.2 Гаb. 1	PN-EN 12183 cl.14 fig5 Measur.	Parkir		ment of force acting on brake lever	50/50 I Conf.	N		hand (requi	low 60 N force engaging hand-brake is required requirements of PN-EN 12183 cl. 14, Tab. 1)			
ILLIZ.	Measuremer The wheelch	its wei air is	re made in secured as	the wheelchair with factory regulations (pho gainst loss of stability	to)			1220	-r- 1T,	200. 27		
equire ients	Test method according to clause			ed characteristics/assemblies/pa	rameters	Test result	Opi nion	C	ommer	nts		
7.3	V/I Measur.	lke	Braking	distance during drive with maximum sp tal plane	peed forwards on	_	N/A	Testing 1	elates ele	ectrically		
7.3	V/I Measur.	Service brake		distance during drive backwards on hori	zontal plane	_	N/A	power Testing r	ed wheel elates ele	chairs ectrically		
7.3	V/I Measur.	Servi	Braking 5°	distance of wheelchair during drive forw	ards on slope of		N/A	power Testing r	ed wheel	chairs		
.3	V/I	Resist brakin	ance of	oraking system to increased temperature drive forwards on horizontal plane	caused by long	_	N/A	power Testing r	ed wheeld elates ele	chairs ctrically		
.5	V/I 1	Emerg orake	gency	Braking distance of wheelchair during d maximum speed forwards on horizontal	rive with		N/A	power	ting relates electrically powered wheelchairs ting relates electrically			



		l Laboratory	or one		кер	ort n		C-256/ age: <i>12</i>		
7.3	V/I Measi	asur. brake maximum speed forwards on horizon			with	T	N/A N/A		Testing relates electrically powere	
7.3	V/I Measi	without of without that		ring drive	-				wheelchairs. Testing relates lectrically powere	
	L								wheelchairs	
Dogwina	Test	1	TEST RESULTS accord	ing to IS	0 7176-4					
Require ments accordin g to clause	method accordi ng to clause	Checked characteristics/assemblies/pa		ameters	Test re	sult	Opinio	n (Comments	
PN-EN 12184 Tabl. 2	7	Theoretical energy range			-	- N.		A Testing relates electric		
			TEST RESULTS according	g to PN-I	SO 7176-5					
Test method accordin to claus	ıg	Checked cha	aracteristics/assemblies/param		Test			Opinion	Comments	
8.2	Ove	rall length of whe	eelchair with legrest and footrest		810	mm		N/R.		
8.3	Ove	rall width			742			N/R.		
8.4 8.5		ght of grips above						N/A.		
8.6	Min	imum length of fo	olded wheelchair Ith of folded wheelchair		750			N/R.		
8.7		imum height of fo			600 ±			N/R.	-	
8.8	Cast	or wheels lift hei	ght in the wheelchair with anti-overtur	rn device	410	mm	-	N/R. N/A.	-	
8.9	Mas	S			13,09	13,09 kg		N/R.		
8.10		s of the heaviest p	parts		7,965	7,965 kg		N/R.		
8.11 8.12		t width (fig. 9)	ed by spacing of walls			950 mm				
8.13	Diar	neter of the rotation	on (fig. C3)			1050 mm		N/R.		
8.14		and clearance (fig				1200 mm 290 mm		N/R. N/R.		
8.15	Requ	ired width of ang	gled corridor (fig. 15)					N/R.		
8.16	Requ	ired doorway ent	try depth (fig. 14)			950 mm		N/R.		
8.17	to PN-E	ired corridor wid	th for side opening (fig. 13)	17 70	900 1	nm		N/R.		
a a a a a a a a a a a a a a a a a a a	101111	11 12105 Annex.D a	and PN-ISO 7193 recommended max overd TEST RESULTS according	ill dimension	is: length: 1200	<i>)mm</i> , w	ridth: 70	0mm, heig	ht: 1200mm	
Test me accordin	ng to	Checked ch	aracteristics/assemblies/param		Test result		pinion	C	Comments	
7.1.		Maximum speed	during drive forwards			+-	N/A	_		
7.2.			aximum speed during drive backwards - N/4					esting relates		
8.1. 8.2.		Maximum accele Maximum decele					N/A		rically powered wheelchairs	
0.4.		Maximum decele					N/A			
			TEST RESULTS according	to PN-IS	O 7176 –7					
Test met	thod					1		Co	Comments	
Test met	g to	charactarie	Checked	Test	result	Opi	nion		in in one	
Test met accordin clause	g to		Checked stics/assemblies/parameters			Opi				
Test met	g to	Angle of seat plan	Checked stics/assemblies/parameters	1	3,80	N.	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4	g to		Checked stics/assemblies/parameters	1 40	3,8 ⁰ 0 mm	N.	/R. /R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5	g to	Angle of seat plar Effective depth of Width of seat Effective width of	Checked stics/assemblies/parameters ne f seat	1 40 49	3,80	N. N.	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5	g to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed	Checked stics/assemblies/parameters ne f seat f seat lge of seat plane	1 40 49 49 52	3,8 ⁰ 0 mm 0 mm 0 mm	N. N. N.	/R. /R. /R. /R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7	g to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest	Checked stics/assemblies/parameters ne f seat f seat lge of seat plane	1 40 49 49 520	3,8° 0 mm 0 mm 0 mm 0 mm 7,0°	N. N. N. N. N. N. N. N. N.	/R.			
Test met accordin clauss 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7	g to e	Angle of seat plan Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backres	Checked stics/assemblies/parameters ne f seat f seat lge of seat plane t	1 40 49 49 520 1 346	3,8° 0 mm 0 mm 0 mm 0 mm 7,0°	N.	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7	g to e	Angle of seat plan Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest	Checked stics/assemblies/parameters ne f seat lge of seat plane	1 40 49 49 520 1 340	3,8 ⁰ 0 mm 0 mm 0 mm 0 mm 7,0 ⁰ 0 mm	N. N	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.3.8 7.3.9 7.3.10 7.3.11	g to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest Moving forward of Height of headrest	Checked stics/assemblies/parameters ne f seat ge of seat plane t of headrest t over the seat	1 40 49 49 520 1 340	3,8° 0 mm 0 mm 0 mm 0 mm 7,0°	N. N	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.3.8 7.3.9 7.3.10 7.3.11	gg to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest Moving forward of Height of headrest Distance of footre	Checked stics/assemblies/parameters ne f seat lge of seat plane t of headrest t over the seat st from seat	1 40 49 49 52 1 34 44	3,8 ⁰ 0 mm 0 mm 0 mm 0 mm 7,0 ⁰ 0 mm	N. N	/R.			
Test met accordin clauss 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.3.8 7.3.9 7.3.10 7.3.11 7.3.12	gg to ee	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest Moving forward of Height of headress Distance of footre Clearance of footre	Checked stics/assemblies/parameters ne f seat lge of seat plane t of headrest t over the seat st from seat	1 40 49 49 52 1 34 44 435-4 23-6	3,8° 0 mm 0 mm 0 mm 0 mm 7,0° 0 mm 0 mm 7,0° 0 mm 0 mm	N. N. N. N. N. N. N. N.	/R.			
Test met accordin clause 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.3.8 7.3.9 7.3.10 7.3.11 7.3.12 7.3.13 7.3.14	g to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest Moving forward of Height of headrest Distance of footre Clearance of footrest	Checked stics/assemblies/parameters ne f seat lge of seat plane t of headrest t over the seat st from seat	11 409 490 520 11 340 440 435-4 23-6	3,8° 0 mm 0 mm 0 mm 7,0° 0 mm 0 mm 7,0° 0 mm 0 mm 7,0° 0 mm	N. N. N. N. N. N. N. N.	/R. //R. //R. //R. //R. //R. //R. //R.			
Test met accordin clauss 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.3.8 7.3.9 7.3.10 7.3.11 7.3.12 7.3.13	g to e	Angle of seat plar Effective depth of Width of seat Effective width of Height of front ed Angle of backrest Height of backrest Width of backrest Moving forward of Height of headress Distance of footre Clearance of footre	Checked stics/assemblies/parameters ne f seat lge of seat plane t of headrest t over the seat st from seat	11 409 490 520 11 340 440 435-4 23-6 120 8	3,8° 0 mm 0 mm 0 mm 0 mm 7,0° 0 mm 0 mm 7,0° 0 mm 0 mm	N. N. N. N. N. N. N. N.	/R. //R. //R. //R. //R. //R. //R. //R.			



MILLE		LIGHT	pratory of CBC		Rep		BC-256/2021
7 3	3.18.	Move	ng forward of armente				age: 13 of 17
	3.13. 3.19.	IVIOVI	ng forward of armrests			N/A.	
		Wist	th of armrests n of armrests			N/A.	
						N/A.	
			e of armrests			N/A.	
	5.23.		nce between armrests			N/A.	
			on of the front of armrests			N/A.	
	5.24.		eter of drive wheel	495 m	ım	N/R.	
	.25.		eter of driving wheel	610 m	ım	N/R.	
	.26.	Displa	acement of wheel axis horizontally	65 m	m	N/R.	
	.27.	Displa	acement of wheel axis vertically	110 m	ım	N/R.	
	.28.	Diam	eter of castor/front wheel	98 m	m	N/R.	
	trejer to	13U / I	vere made in the wheelchair with factory regulations (photo) 76-5, PN-ISO 7176-7) vere made burdening the wheelchair with dummy RLG – refers t	o PN-IS	O 7176-7		-
Require			TEST RESULTS according to I	SO 71	76-8		
ments accordin g to clause	Test method according to clause	g	Checked characteristics/assemblies/paramete		Test result	(Ininion	Comments
4.	8.4.	Arn	nrest – resistance to forces acting downwards			N/A	
4.	8.5.	Foo	trests - resistance to forces acting upwards		Conf.	Pos.	loading 1177 N
4.	8.6.	Ant	i-tip levers		ong.	N/A	iodaing 11// N
4.	8.7.	Gri				N/A	
4.	8.8.	Arm	rest – forces acting upwards			N/A N/A	
4.	8.9.	Foo	rest – forces acting upwards	-	Conf.	Pos.	Jandin 05731
4.	8.10.	Han	dle grips for pushing – load acting upwards				loading 957 N
4.	8.11.	Sco	oter steering handles: Resistance to forward forces			N/A	
4.	8.12.	Scoo	oter steering handles: Resistance to rearward forces			N/A	
4.	8.13.	Scoo	oter steering handles: Resistance to downward forces			N/A	
4.	8.14.	Scoo	oter steering handles: Resistance to upward forces			N/A	
4.	9.3.	Bacl	crest – impact strength			N/A	
4.	9.4.	Driv	ing wheel – impact strength		Conf.	Pos.	25kg pendulum imp
4.	9.5.	Cast	or/front wheel – impact strength		Conf.	Pos.	10kg pendulum imp
4.	9.6.3.	Foot	rest – side impact		Conf.	Pos.	10kg pendulum imp
4.	9.6.4.		rest — in-line impact		Conf.	Pos.	10kg pendulum imp
4.	9.7.1.				Conf.	Pos.	10kg pendulum imp
4.	9.7.1.	For	ard impacts on anti-tip devices			N/A	10kg pendulum imp
4.		FORM	vard or rearward impacts on anti-tip devices			N/A	10kg pendulum imp
	9.7.3.		ral impacts on anti-tip devices			N/A	10kg pendulum imp
4.	10.3.2.	1 esti	ng of manually propelled wheelchair on two-drum machin	ne	Conf.	Pos.	200 000 of cycles with fi
4.	10.3.3.	Meas	surement of initial current for electrically powered wheelch	hair			loading of wheelchair (12
4.	10.3.4.	Testi	ng of electrically powered wheelchair on two-drum machi	nall		N/A	
4.	10.4.	Drop	testing	IIC	Conf.	N/A Pos.	6666 drops of wheelchair full loading
4.	10.5.	Fatig	ue test of manually operated parking brakes		Conf.	Pos.	(120kg) from height of 50th 60 000 cycles
OTE: F	or cl. 9.3	– angi	$e \theta = 30^{\circ}$, for cl. 9.4 – angle $\theta = 45^{\circ}$ for cl. 9.5, 9.6.3, 9.	6.4 - a	ngle Θ =	= 490	oo ooo cycles
			TEST RESULTS according to ISO	717	6_9		
equire nents cordin g to lause	ts Test method according to clause		Checked characteristics/assemblies/parameters		result	Opinion	Comments
8	7.3		Water resistance	+			<i>m</i>
					-	N/A	Testing concerns electrically powered wheelchairs
Muiso		1	TEST RESULTS according to PN-IS	SO 71	76 –10		
	Test methor according clause		Checked characteristics/assemblies/parameter		Fest esult	Opinion	Comments
N-EN	7.1.	Al	pility to overcome obstacle during drive forwards	-			Tanting -
						N/A	Testing concerns electrically powered wheelchairs
184:20 14 ab. 1	7.2.	At	oility to overcome obstacle during drive backwards			N/A	Testing concerns electrically powered wheelchairs



Mechanical Laboratory of CBC Report no.: CBC-256/2021 Page: 14 of 17 TEST RESULTS according to PN-ISO 7176-15 Require Test ments Test method Opin accordin Checked characteristics/assemblies/parameters resul according Comments g to ion to clause ŧ clause 7.3 Content of service manual 7.3.a V/I Data concerning guarantee N/T 7.3.b V/I General characteristics: - description of wheelchair with photos or drawings and description of utilization N/T - description of user with maximum mass stated N/T - description of environment of intended utilization N/T- value of recommended pressure in pneumatic tyres N/T7.3.c V/I When wheelchair is sold in elements for individual assembly - list of components N/T - information on tools necessary to fold wheelchair N/T - instruction of bringing lacking or damaged parts N/T- assembly, installation and disassembly instruction of parts delivered by N/T manufacturer - instructions for preparing wheelchair to storage, transport N/T 7.3.dV/I Service manual of wheelchair - use of wheelchair on surfaces where user moves N/T - get on and get off wheelchair N/T --- illustrations explaining these instructions N/T - Descriptions of feasible improper use of wheelchair N/T 7.3.e V/I **Maintenance instruction** Details of maintenance: - service, maintenance/detection of damages, for which user is responsible N/T- tools necessary for repair and service of wheelchair N/T- maintenance frequency N/T - list of parts (with numbers) and way of is purchase N/T- conditions when manufacturer, supplier takes action N/TWays of cleaning N/TElements intended to easy replacement: - information on orders N/T- instruction of disassembly N/T- information on replacement and testing of parts N/T - illustration of parts and their placement N/T Ways of performance dangerous activities N/T __ 7.3.f V/I Performing of parameters control N/T7.3.g V/I Repair of wheelchair - Identification of parts to be repaired by user N/T - Identification of parts operated by manufacturer or service to maintain N/T guarantee - Identification of parts removable and sent to manufacturer/service N/T - Conditions under which manufacturer/service is obliged to perform repair N/T - List of authorized service workshops N/T- Information if spare parts can be purchased N/T- Way of package and transport, if necessary N/T Test Requiremen method ts according Test Checked characteristics/assemblies/parameters according **Opinion** Comments to clause result to clause Content of specification sheets of manufacturer Annex A V/I Manufacturer N/T Annex A V/I Address N/TAnnex A V/I Model N/T Annex A V/I Maximum mass of user N/TAnnex A V/I Overall length with legrest N/TAnnex A V/I Overall width N/TAnnex A V/I Length after assembly N/TAnnex A Width after assembly V/I N/T Height after assembly Annex A V/I N/T Annex A V/I Total mass N/TCENTRE FOR TESTING AND CERTIFICATION - MECH-TEST; 05-077 Warszawa - Wesoła, ul. Klonowa 22

		boratory of CBC				repor	t no.: CBC			
Annex A	V/I	Mass of the heaviest part					Pag		of 17	7
Annex A	V/I	Static stability downhill						N/Z		
Annex A	V/I	Static stability uphill						N/I		
Annex A	V/I	Side static stability						N/1 N/1		-
Annex A	V/I	Energy range					1 1	N/1 N/1		
Annex A	V/I	Dynamic stability uphill						N/I		
Annex A	V/I	Determination of obstacles						N/T		_
Annex A	V/I	Maximum speed forward						N/T		
Annex A	V/I	Minimum braking distance at maximum speed						N/1		
Annex A	V/I	Seat plane angle						N/T		
Annex A	V/I	Effective depth of seat						N/T		
Annex A	V/I V/I		Effective width of seat						,	
Annex A	V/I	Height of seat to front edge Backrest angle						N/T	,	
Annex A	V/I	Height of backrest						N/T		
Annex A	V/I	Distance of seat from footre	-4					N/T		
Annex A	V/I	Angle between seat plane at	ad loss					N/T		
Annex A	V/I	Height of armrest from seat	iu iegs					N/T		
Annex A	V/I	Distance of front part of arn	reet from	Or most				N/T		
Annex A	V/I	Diameter of drive wheel	nest Hom le	ai fest				N/T		
Annex A	V/I	Position of wheel axis horiz	ontally					N/T		
Annex A	V/I	Width of turning	onuny					N/T		
			arc .	TANK TENE	1001			N/T		
Following te	et reculte	refer only to in flow	18 accord	ling to PN-EN	1021-	1:200	7			
assessment of	of full note	refer only to inflammability o ential inflammability risk of re	f material co	mpound in special to	est cond	itions. T	hey are not in	ntende	d as cr	iteria
		aracteristics, description of the	ady whichich	iaii.						
sample of du	rable cov	ering:	Upnoisi	ery made of durable	, strengt	hened n	ylon in black	color	ır	
Manufacture	r of durab	ole covering:	No data							
dentification	n data, cha	aracteristics, description of the		naterial, white colour	(0.5					
sample of to	am materi	al/filling	1 Vani it	iaterial, willle colour	(125 mn	1)				
		we willing.				_				
Manufacture	r of foam	material/filling:								
Manufacture Fest method	r of foam	material/filling:	No data							
Manufacture Fest method	r of foam	material/filling:	No data	ering cigarette			am maga (O	05.0		
Manufacture Fest method Requirement	r of foam : s concern	material/filling: ing cigarette	No data smoulde without	ering cigarette filter, length. (68±2)	mm. Ø	(8±0, 5)n	nm, mass (0,	95±0,1	l)g,	
Manufacture Fest method Requirement	r of foam : s concern	material/filling: ing cigarette	No data smoulde without speed of Marlbor	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of	mm, Ø nin/40m	(8±0,5)n	out filter 50	Omana	0 70	Omm
Manufacture Fest method Requirement	r of foam : s concern	material/filling: ing cigarette	No data smoulde without speed of Marlbor weight o	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of f cigarette – 0,82g, 1	mm, Ø nin/40m	(8±0,5)n	out filter 50	Omana	0 70	Omm,
Manufacture Fest method Requirement parameters o	r of foam : s concern f used cig	material/filling: ing cigarette arette	No data smoulded without speed of Marlbor weight of 7min/40	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm	mm, Ø nin/40m	(8±0,5)n	out filter 50	Omana	0 70	Omm,
Manufacture Fest method Requirement parameters o	r of foam : s concern f used cig	material/filling: ing cigarette arette	No data smoulde without speed of Marlbor weight of 7min/40	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature:	mm, Ø nin/40m	(8±0,5)n	out filter – 59,2g, speed of	Omana	Ø – 7,9 Idering	3-
Manufacture Fest method Requirement parameters o	r of foam : s concern f used cig	material/filling: ing cigarette arette	No data smoulded without speed of Marlbor weight of 7min/40 Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter 50	9mm, f smou	Ø – 7,9 Idering	g – C ± 2°
Manufacture Test method Requirement Parameters of	r of foam s concern f used cig of sample	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time:	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter – 59,2g, speed of	9mm, f smou	Ø – 7,9 ldering 23°C 50%	$\frac{3}{6} \pm 2^{\circ}$ $6 \pm 5^{\circ}$
Manufacture Test method Requirement Parameters of	r of foam s concern f used cig of sample	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm nture: humidity of air:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter – 59,2g, speed of 21°C 50%	9mm, f smou	Ø – 7,9 Idering 23°C 50%	2 ± 2° 6 ± 59 24 h
Manufacture Test method Requirement Parameters of	r of foam s concern f used cig of sample	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter – 5°c,2g, speed of 21°C 50% 24 h	9mm, f smou	Ø – 7,9 Idering 23°C 50% 2	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ 24 h $0 \pm 2^{\circ}$
Manufacture Fest method Requirement parameters o Conditioning	r of foam s concern f used cig of sample of cigaret	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time:	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter – 50,2g, speed of 21°C 50% 24 h 21°C 50% 24 h	9mm, f smou	Ø – 7,9 Idering 23°C 50% 23°C 50%	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ 24 h $0 \pm 2^{\circ}$
Manufacture Fest method Requirement parameters o Conditioning	r of foam s concern f used cig of sample of cigaret	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air:	mm, Ø nin/40m	(8±0,5)n	out filter – 50,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C	Omana	Ø – 7,9 Idering 23°C 50% 23°C 50%	$0 \pm 2^{\circ}$ $0 \pm 5^{\circ}$ $0 \pm 4 + 10^{\circ}$ $0 \pm 2^{\circ}$ $0 \pm 5^{\circ}$ $0 \pm 4 + 10^{\circ}$
Manufacture Test method Requirement parameters of Conditioning Conditioning	r of foam s concern f used cig of sample of cigaret	material/filling: ing cigarette arette e:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: ture:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	out filter – 50,2g, speed of 21°C 50% 24 h 21°C 50% 24 h	9mm, f smou	Ø – 7,5 ldering 23°C 50% 223°C 50% 2	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ 24 h $0 \pm 2^{\circ}$ 4 h $0 \pm 3^{\circ}$
Manufacture Test method Requirement carameters of Conditioning Conditioning est conditioning	r of foam s concern f used cig of sample of cigaret	material/filling: ing cigarette arette e: te:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: ture: humidity of air:	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0	21°C 50% 24 h 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Requirements	Ø – 7,9 ldering 23°C 50% 22 23°C 50% 2 10°C 15%	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ 24 h $0 \pm 2^{\circ}$ 4 h $0 \pm 3^{\circ}$
Manufacture Test method Requirement parameters of Conditioning Conditioning Test con	r of foam s concern f used cig of sample of cigaret ns:	material/filling: ing cigarette arette e: tte: garette: noted during testing:	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: ture: humidity of air: 17 min. Cigarette 1	mm, Ø nin/40m	Weasurement	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements	Ø – 7,9 ldering 23°C 50% 2 23°C 50% 2 10°C 15% min.	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditioning Eest conditioning ime of smoulore importa	r of foam s concern f used cig of sample of cigaret ns:	material/filling: ing cigarette arette e: te: garette: noted during testing: eading out combustion (3.1.a)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0 W 17 min Cigare NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min.	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ 24 h $0 \pm 2^{\circ}$ $0 \pm 5^{\circ}$ $0 \pm 4 \text{ h}$ $0 \pm 30^{\circ}$ $0 \pm 80^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret ns: lldering ci nt effects ously spre tion of tes	material/filling: ing cigarette arette e: garette: noted during testing: eading out combustion (3.1.a) sted assembly (3.1.b)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO	mm, Ø nin/40m	(8±0,5)n m ette with filter – 0 W 17 min Cigare NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditioning Conditioning Test conditio	r of foam s concern f used cig of sample of cigaret ns: uldering ci nt effects ously spre stion of tes	material/filling: ing cigarette arette e: garette: noted during testing: eading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO	mm, Ø nin/40m	(8±0,5)n mette with filter – 0 Washington Washin Washington Washington Washington Washington Washington Wa	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements	Ø – 7,9 ldering 23°C 50% 223°C 50% 210°C 15% min. garette	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 30^{\circ}$ $6 \pm 80^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditioning Eest conditioning ime of smoulore importa Danger Smould	of cigaret aldering ci nt effects ously spre- tion of tes lering to li ering at w	material/filling: ing cigarette arette e: te: garette: noted during testing: rading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c) whole thickness (3.1.c)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO	mm, Ø nin/40m	(8±0,5)n mette with filter – 0 W 17 min Cigare NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements	Ø – 7,9 ldering 23°C 50% 223°C 50% 210°C 15% min. garette	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 30^{\circ}$ $6 \pm 80^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret aldering ci nt effects ously spre- tion of tes lering to li ering at we ering over	material/filling: ing cigarette arette e: tte: garette: noted during testing: rading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c) r 1 hour (3.1.d)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time:	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO	mm, Ø nin/40m	(8±0,5)n ette with filter – 0 We want to the second of t	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements Reduirements NO	Ø – 7,9 ldering 23°C 50% 2 23°C 50% 2 10°C 15% min. garette))))	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 30^{\circ}$ $6 \pm 80^{\circ}$
Manufacture Fest method Requirement parameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret didering ci nt effects ously spre tion of tes lering to li ering at w ering over e of active	material/filling: ing cigarette arette e: te: darette: noted during testing: dading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c) thole thickness (3.1.c) to 1 hour (3.1.d) e smouldering in final testing (1.1.d)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO NO NO NO	mm, Ø nin/40m	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Requirements Requirements NO	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$
Manufacture Fest method Requirement Darameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret as: Ildering ci nt effects ously spre stion of tes lering to li ering at w ering over e of active riteria	material/filling: ing cigarette arette e: tte: garette: noted during testing: rading out combustion (3.1.a) rated assembly (3.1.b) ratio of sample (3.1.c) ratio of sample (3.1.c) ratio of sample (3.1.d)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative (3.1.e)	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO NO NO NO N	mm, Ø nin/40m a cigar nass of	(8±0,5)n ette with filter – 0 We want to the second of t	out filter – 5° ,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Reduirements Reduirements NO	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$0 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 2^{\circ}$ $6 \pm 5^{\circ}$ $4 + h$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$ $6 \pm 5^{\circ}$
Manufacture Fest method Requirement carameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret as: Ildering ci nt effects ously spre stion of tes lering to li ering at w ering over e of active riteria	material/filling: ing cigarette arette e: te: darette: noted during testing: dading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c) thole thickness (3.1.c) to 1 hour (3.1.d) e smouldering in final testing (1.1.d)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative (3.1.e)	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO NO NO NO N	mm, Ø nin/40m a cigar nass of	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40%	Pmm, f smou I 18 Cig NC NC NC NC NC NC NC NC NC N	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$C \pm 2^{\circ} = 5$ $C \pm 2^{\circ} = 5$ $C \pm 4 = 5$ $C \pm 2^{\circ} = 5$
Manufacture Fest method Requirement barameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret ns: lldering ci nt effects ously spre tion of tes ering to li ering at w ering over e of active riteria re of horiz	material/filling: ing cigarette arette e: te: garette: noted during testing: rading out combustion (3.1.a) reted assembly (3.1.b) mit of sample (3.1.c) radio thickness (3.1.c) ratio for the four (3.1.d) resmouldering in final testing (and the four contains of the four contains (3.2) contain part of upholstery arrangements.	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO NO NO NO N	mm, Ø nin/40m a cigar nass of	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40% tte 2	Pmm, f smou Stantage of the s	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$\begin{array}{c} C \pm 2^{\circ} \\ 6 \pm 59 \\ 4 \text{ h} \\ C \pm 2^{\circ} \\ 4 \text{ h} \\ C \pm 2^{\circ} \\ 6 \pm 59 \\ 4 \text{ h} \\ -30^{\circ} \\ -809 \\ 3 \end{array}$
Manufacture Fest method Requirement carameters of Conditioning Conditi	r of foam s concern f used cig of sample of cigaret ns: lldering ci nt effects ously spre tion of tes ering to li ering at w ering over e of active riteria re of horiz	material/filling: ing cigarette arette e: te: garette: noted during testing: rading out combustion (3.1.a) reted assembly (3.1.b) mit of sample (3.1.c) radio thickness (3.1.c) ratio for the four (3.1.d) resmouldering in final testing (and the four contains of the four contains (3.2) contain part of upholstery arrangements.	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO NO NO NO NO NO NO NO NO N	mm, Ø nin/40m a cigar nass of	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40% tte 2	9mm, f smou Still	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$\frac{2}{5} = \frac{2}{5} = \frac{2}$
Manufacture Test method Requirement coarameters of Conditioning Condit	r of foam s concern f used cig of sample of cigaret ns: lldering ci nt effects ously spre tion of tes ering to li ering at w ering over e of active riteria re of horiz	material/filling: ing cigarette arette e: tte: garette: noted during testing: rading out combustion (3.1.a) rated assembly (3.1.b) ratio of sample (3.1.c) ratio of sample (3.1.c) ratio of sample (3.1.d)	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO Length: Width: Depth: Length:	mm, Ø nin/40m a cigar nass of 53 12 3 53	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40% . tte 2	Pmm, f smou 18 Cig NC	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$ \begin{array}{c} C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ -30^{\circ} \\ -80^{\circ} \end{array} $
Manufacture Test method Requirement coarameters of conditioning Condit	r of foam s concern f used cig of sample of cigaret as: Ildering ci nt effects ously spre tion of tes lering to li ering at w ering over e of active riteria re of horiz	material/filling: ing cigarette arette e: te: garette: noted during testing: rading out combustion (3.1.a) reted assembly (3.1.b) mit of sample (3.1.c) radio thickness (3.1.c) ratio for the four (3.1.d) resmouldering in final testing (and the four contains of the four contains (3.2) contain part of upholstery arrangements.	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2) o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO Length: Width: Depth: Length: Width:	53 12 3 53 13	(8±0,5)n ette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40% . tte 2	Pmm, f smou	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$ \begin{array}{c} C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ -30^{\circ} \\ -80^{\circ} \end{array} $
Manufacture Test method Requirement carameters of conditioning Conditi	r of foam s concern f used cig of sample of cigaret ns: Ildering ci nt effects ously spre tion of tes tering to li ering at w ering over e of active riteria re of horiz re of verti	material/filling: ing cigarette arette e: tte: garette: noted during testing: rading out combustion (3.1.a) sted assembly (3.1.b) mit of sample (3.1.c) r1 hour (3.1.d) e smouldering in final testing (and in the company of the	No data smoulde without speed of Marlbor weight of 7min/40 Tempera Relative Time: Tempera Relative Time: Tempera Relative Time: Tempera Relative	ering cigarette filter, length. (68±2) f smouldering (8±2)r o Menthol, length of of cigarette – 0,82g, 1 mm ature: humidity of air: ture: humidity of air: 17 min. Cigarette 1 NO Length: Width: Depth: Length:	mm, Ø nin/40m a cigar nass of 53 12 3 53	(8±0,5)n mette with filter – 0 17 min Cigare NO NO NO NO NO	out filter – 5°,2g, speed of 21°C 50% 24 h 21°C 50% 24 h 21°C 40% . tte 2	Pmm, f smou 18 Cig NC	Ø – 7,9 ldering 23°C 50% 223°C 50% 2 10°C 15% min. garette)	$ \begin{array}{c} C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ C \pm 2^{\circ} \\ 6 \pm 5^{\circ} \\ 4 \text{ h} \\ -30^{\circ} \\ -80^{\circ} \end{array} $

Mech	ianical L	aboratory of C	CBC		Report n	o.: CBC-256/2021
Requirements according to PN-EN 12183	Test method according to PN-EN 1021-	Checked characteristics/assemblies/parameters		Test result	Opinion	Page: 16 of 17 Comments
7.10.1		Resistance to	Imition of any			
	9	ignition of upholstered	Ignition of progressive smouldering type (3.1.a, 3.1.b, 3.1.c, 3.1.d, 3.1.e)	Conf.	Pos.	no progressive smouldering
7.10.1	4 9	composite parts	Flame ignition (3.2)	Conf.	Pos.	no progressive smouldering
7.10.2	9	Resistance to ignition of foam materials	Ignition of progressive smouldering type	Conf.	Pos.	no progressive burning by fire
7.10.2	4 9		(3.1.a, 3.1.b, 3.1.c, 3.1.d, 3.1.e) Flame ignition (3.2)	Conf.	Pos.	no progressive burning by fire

Pos. - positive; Neg - negative; N/T - not tested; N/A - not applicable; N/R - not required , N/O - not occurred , V/I.- visual inspection, Conf.- conformed.

NOTE 1: During visual inspection before testing any visible defects that can have an effect on test results were not

Sample/object for testing was delivered to the Laboratory by the Orderer. NOTE 2: NOTE 3: Test dummy of mass 120 kg and person of required mass were used for testing.

NOTE 4: Environment temperature for testing - $19^{0}C$

	Final a	essessment	
PN-EN 12182:2012	Pos.	PN-ISO 7176-7:2001	Tested*
PN-EN 12183:2014	Pos.	ISO 7176-8:2014	
PN-EN 12184:2014	N/A	ISO 7176-9:2009	Pos.
ISO 7176-1:2014	Tested*	ISO 7176-10:2008	N/A
ISO 7176-2:2001	N/A	PN-ISO 7176-14:2001	N/A
ISO 7176-3:2012	Pos.	PN-ISO 7176-15: 2002	N/A
ISO 7176-4:2008	N/A	ISO 7176-16: 2012	N/T
ISO 7176-5:2008	Tested*	PN-EN 1021-1:2007	N/T
ISO 7176-6:2001	N/A	PN-ISO 7176-19:2007	Pos. N/T

^{*)} The standard does not specify requirements towards tested parameters of product

Note: Conformity assessment of product according to standard requirements refer to the scope of mechanical tests ordered by client, excluding testing of material biocompatibility with human body according to PN-EN ISO 10993-1:2010



Report no.: CBC-256/2021

Page: 17 of 17

MARKING VERIFICATION

Name of product: Manual lightweight wheelchair

ICON 60

Applicant:

REHASENSE Sp. z o.o. ul. Sulejowska 45 G,

97-300 Piotrków Trybunalski

	irement according to PN-ISO 7176-15:2002	Durable marking on wheelchair
8.1.a	Name and address of manufacturer	N/T
8.1.b	Identification of model and serial number	N/T
8.1.c	Year of production	N/T
8.1.d	Information on likely driver constraints	
8.1.e	Maximum mass of user	N/T
8.2	Marking of dimension on tyres	N/T
Requi	rement according to PN-EN 12183:2014	N/T
12.5		Durable marking on wheelchair
12.5	Labelling of the device for disengagement of the drive system (brakes)	N/T
	Labelling of brake positions: engaged, disengaged	N/T
	A warning that the drive system should be engaged before an occupant is left unattended or attempts to operate the wheelchair	N/T
	Position of attachment points for wheelchair tie-down and occupant restraint systems if the wheelchair is intended to be used as a seat in a motor vehicle	N/T
	A warning that the wheelchair is not intended to be used as a seat in a motor vehicle if it is not intended to be used as a seat in a motor vehicle	N/T
3.2.9	Warnings on anti-tilt device about necessity to inform user if anti-tilt device is mounted	N/T
	CE marking not applicable	N/T



Mechanical Laboratory

05-077 Warszawa-Wesoła, ul. Klonowa 22 tel.: +48 603 23-26-45, e-mail: cbc.mech.test@gmail.com

ANNEX 1 TO TEST REPORT No. CBC-256/2021

Identification of wheelchair elements













Mechanical Laboratory

05-077 Warszawa-Wesoła, ul. Klonowa 22 tel.: +48 603 23-26-45, e-mail: cbc.mech.test@gmail.com

ANNEX 2 TO TEST REPORT No. CBC-256/2021

Identification of wheelchair elements















Mechanical Laboratory

05-077 Warszawa-Wesoła, ul. Klonowa 22 tel.: +48 603 23-26-45, e-mail: cbc.mech.test@gmail.com

ANNEX 3 TO TEST REPORT No. CBC-256/2021

Identification of wheelchair elements



