



Elexo mobile shower-toilet chair

## Elexo mobile shower-toilet chair







## 5100 5500 Elexo with removable leg supports

Caring for patients / residents with traditional shower-toilet seats is heavy work. Care staff are obliged to work in unnatural postures and suffer from static back strain. Lopital offers relief with the height-adjustable Elexo shower-toilet seat.

The Elexo provides comfort and security for both carers and patients/residents. Its flexible height reduces back strain suffered by carers to a minimum, which allows the Elexo to make an important contribution to the healthcare sector health and safety policy.

The electric height-adjustability ensures that the seat reaches a maximum tilting angle of 17 degrees when at its maximum height, thereby creating the optimum seating balance for the patient / resident.

- · Simple electric high/low adjustment
- · Manual operation with battery indicator
- · With sleep mode setting after 60 minutes
- Maximum load 180 kg
- · Lowest position 50 cm, highest position 105 cm
- Frame width 68 cm, dept 83 cm
- · Tilt adjustment to a maximum of 17 degrees
- · Upholstered seat with toilet opening
- · Inlay for the toilet opening
- Foldable upholstered armrests with front lock for sideways transfer
- Ergonomically formed seat and backrests
- Fold-out footrests with calf protection
- Fold-away and removable leg supports
- Guide for toilet bucket or bedpan
- Four plastic castors, fitted with brakes
- Extremely stable due to the fitting of 2 lifting motors
- · Simple to recharge, with charger included





Ergonomically formed seat with inlay



Ergonomically formed seat for toilet use



Plastic bedpan



Independent, fold-up upholstered armrests with front lock



Independent, fold-out upholstered armrest strait



Charge point with magnetic coupling







17 degree tilt adjustment

## **Technical specifications**

Seat width: 480 mm
Seat depth: 460 mm
Adjustable seat height: 500 to 1050 mm
Own weight: 50 kg
Electrical power: 24 V
Adjustable seat height: 7Ah

Max. load: 180 kg • Charger: 220V 50/60Hz 500mA

Wedge setting: 0° to 17°
Total length basic frame: 830 mm
Total width basic frame: 680 mm

The Elexo is a product with CE marking. This marking complies with Directive 93/42/EU, and the revised Directive 2007/47/EU for medical aids of March 2010.



