

**Chinesport** thanks all collaborators who have given their contribution to achieve this document.



Therapy tables	1
Electro-medical equipment	2
Rehabilitation	3
Pulley therapy	4
Occupational therapy	5
Standing frames	6
Tilt tables	7

## Parallel bars and staircases

8

Walkers	9
Treadmills	10
Tractions	11
Medical gym	12
Hydrotherapy	13
Postural analysis	14
Hoisting and transfer	15
Hygiene and anti - decubitus	16
Lifting armchairs	17
Patient transport	18



At our sole discretion, the company reserves the right to change dimensions and type of construction, and to make improvements and other changes to its products. All reproduction rights of all or part of the designs and illustrations are reserved worldwide. The printing process can't give a perfect reproduction of the colours.







# Parallel bars and staircases

FROM CHINESPORT'S GENERAL CATALOGUE - EDITION 2016

1	Parallel bars	04
1.1	Introduction to the STandGO system	04
1.2	The parallel bar glider	06
1.3	The modularity of our parallel bars	07
1.4	Modular walk paths	30
1.5	Plus line, parallel bars for children	10
1.6	Plus line, parallel bars for adults	12
1.7	Standard line, parallel bars	16
2	Staircases for rehabilitation	18
2.1	Introduction to the rehabilitation staircases	18
2.2	The different configuration options	19
2.3	Plus line, configuration options for staircases	20
2.4	Standard line, configuration options for staircases	24
3	Posture mirrors	26







## Rehabilitation Parallel Bars - Plus Line

The modular parallel bars of the Plus Line are characterized by the innovative STandGO System™ for simultaneous and precise adjustment of the handrails on the two sides. The foot control activates gas springs for continuous movement, thus ensuring maximum precision and uniform adjustment, carried out even during the rehabilitation exercise. The handrails can also be adjusted in width.





The model shown above is the parallel Plus 3M Tilt - code 01327.











"I feel that the simultaneous movement of the translation and the adjustment of the handrails for height provide greater safety both when standing up as well as when sitting down and less physical effort is required. The system also facilitates the physical therapist's work".

Daniele, 30 years old - Udine

Details of the width adjustment of handrails and the inclination of the platform.








#### **ACCESSIBILITY FROM A SEATED POSITION**

When making height adjustments, also check the translation of the parallel bars. The dynamics of this function allow the user to comfortably place his/her forearms on the handrails while remaining seated, without having to be transferred onto the main footboard (1) by wheelchair. In this manner, the patient can apply the levers and effort available for his/her natural verticalization while supported by the "STandGOSystem<sup>tm</sup>", and reduce the necessity for assistance from the therapist (2).





#### IMMEDIATE ADJUSTMENT FOR HEIGHT

The parallel bars in the Plus Line allow carrying out step training by optimizing patient locomotion as a result of the simple and immediate adjustment system for height and width, with adaptation to the motor pattern that will be developed. During the initial phase, maximum support is ensured to the upper limbs; then, the handrail height is progressively reduced until the user's hands just brush them (2) or don't touch them at all. In this manner, the parallel bars will not be an obstacle for correct posture by the user when ambulating during functional recovery.






During the initial phase of identifying the therapeutic rehabilitation program, use of an antibrachial support on the parallel bars allows an evaluation of how the patient ambulates in a completely safe environment.

#### 01380 PARALLEL BAR GLIDER

It can be applied to all parallel bars in the new Plus and Standard Line. It offers greater support to the person during ambulation. When the trolley is used with a parallel bar system from the Plus Line, it is possible to indirectly, quickly and effectively adjust the height of the trunk support with the activation of the foot control by the operator. This allows the simultaneous adjustment of the handrails. In this case, adjusting the trolley trunk support can take also place while therapeutic exercise is being carried out. The trolley comes equipped with four limit switches and a connecting rod that can be used in the event a second trolley is purchased.



#### INVERTING THE DIRECTION OF AMBULATION

The trolley for parallel bars (code no. 01380) can be used with another identical trolley in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that ambulation can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist. This solution prevents possible interruptions while carrying out the therapeutic rehabilitative exercise and also ensures safe restraint of the person. Intervention by the operator is limited to watching over the patient. The two trolleys can be joined using elements supplied.








switch element.



The modularity of the parallel bar systems in the Plus Line allows the patient to be involved and motivated when ambulating, leaving the therapist more time to dedicate to observing and evaluating functional improvements during the exercise.

Therefore, the therapist can concentrate - especially in the case of subjects with extremely compromised neuro-motor characteristics - on continuously correcting gestures, rate, angles and the kinematic mechanism while the patient ambulates, until the most correct motor pattern is obtained.



#### AC0550

LIMIT BAR

The limit and support accessory can be requested, to assist the user with changing the ambulating direction, and extending the therapeutic - rehabilitation course. This accessory is available for all models.







www.chiroform.com 7


access ramp. A parallel course

of the required length can be

created.



A series of thermoplastic modules and bags containing different materials can be used as accessories to create ambulation walkpaths within a specific therapeutic rehabilitation program. These modules are lightweight, resistant and washable and can be combined to create homogeneous or differentiated walkpaths, both on the main footboard of a parallel bar system as well as on the floor.



**08586**ROLLS AND BAGS
Pair of modules, including a wooden roll and a sensory bag, 60 x 60 cm.



**08587**SENSORY MODULES
Pair of modules,
60 x 60 cm.



**08589 HEMISPHERES**Pair of modules, 60 x 60 cm.



**08591**CONCAVE-CONVEX
Pair of modules,
60 x 60 cm.



**01330**OBSTACLE-HURDLE MODULES
A pair of modules with a magnetic catch. Two pairs are recommended for 3-meter long parallel bars, 63 x 13 h cm.



**02400**1 KG GAIT BAG
Contains sand,
20 x 20 cm.



02410 2 KG GAIT BAG Contains sand, 25 x 25 cm.



**02420**3 KG GAIT BAG
Contains sand,
28 x 28 cm.




**02500**MOTOR TRAINING BAG
Contains PVC granules.
Four possible cover colours, 22 x 15 cm.
Weight: 300 grams.



MOTOR TRAINING BAG SET
It includes 16 motor training bags.
The bags contain PVC granules in four possibile cover colours. 22 x 15 cm.
Total weight set: 4,8 Kg.



**08585 SET OF SENSORY BAGS**It includes 12 bags containing different materials in order to offer various support sensibility. The materials are soft foam, hard foam, granules, polystyrene, sand, wood. 22 x 15 cm. Total weight set: 7,5 Kg.



**02430**SET OF GAIT BAGS
Consists of 12 bags of sand of different weights and sizes. Total weight set: 24 Kg.



9









#### 01379 SET OF THERAPY WALK PATHS

08586	ROLLS AND BAGS	2 pairs
08587	SENSORY MODULES	2 pairs
08589	HEMISPHERES	2 pairs
08591	CONCAVE-CONVEX	2 pairs
01330	OBSTACLE-HURDLE MODULES	2 pairs

#### 01335

CART FOR PORTABLE WALK PATHS
It is in painted steel and can be used
for every type of module. The cart is
supplied without therapy walk paths.





# **S7**and **G**O System™ Plus Line, parallel bars for children


#### 01391 CHILDREN'S PARALLEL BARS PLUS 2M

It is a 2-meter long parallel bar system used for physical or rehabilitative training activity and includes painted steel framework and a wooden, laminated, wearproof footboard and is equipped with access ramps. The handrails are thermoplastic and non-slip. All parts can easily be washed. These parallel bars can be adjusted for height with the innovative "STandGOSystemTM", which allows immediate adaptation to the build of the user. The height of the handrails can also be modified during rehabilitation. Additionally, the distance between the handrails can be adjusted. The modularity allows creating (with items code no. 01391 and code no. 02996) parallel bar systems of the desired length by removing the access flights from the joining side. Thermoplastic modules or bags can be used to create specific therapeutic rehabilitation walkpaths. Weight: 71 kg

#### 02996 CHILDREN'S PARALLEL BARS PLUS 3M It is a 3-meter long parallel bar system that has the same features as the 2-meter model (code no. 01391). Weight: 99 kg







The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.







Handrail width adjustment system

TECHNICAL SPECIFICATION		
ARTICLE CODE	01391	02996
	Plus 2M children	Plus 3M children
Max dimensions (cm)	211 x 81 x 87 H	311 x 81 x 87 H
Handrail height adjustment system	double gas sprint	double gas sprint
Min – max handrail height (cm)	62 ÷ 80	62 ÷ 80
Handrail width adjustment system	Manual, 3 positions	Manual, 3 positions
Handrail width min - max (cm)	55 ÷ 71	55 ÷ 71
Individual handrail loadbearing capacity	135 Kg	135 Kg
Modularity (combination of more parallel bars)	Access slide	Access slide
Weight	71 Kg	99 Kg

#### **ACCESSORIES**

Modular walk paths:

08586 ROLLS AND BAGS

08587 SENSORY MODULES

08589 HEMISPHERES

08591 CONCAVE-CONVEX

01330 OBSTACLE-HURDLE MODULES

02400 1 KG GAIT BAG 02410 2 KG GAIT BAG

**02420** 3 KG GAIT BAG

02500 300 G MOTOR TRAINING BAG

02510 MOTOR TRAINING BAG SET.

08585 SET OF SENSORY BAGS

01379 SET OF THERAPY WALK PATHS

01335 CART FOR PORTABLE WALK PATHS

To support the patient:

01380 PARALLEL BAR GLIDER AC0550 LIMIT BAR

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.









#### **RETURNING TO A SEATED POSITION**

Returning to a seated position by the patient is facilitated by the immediate and precise adjustment of the parallel bars, which allows positioning the handrails at suitable height precisely for carrying out this movement. Therefore, intervention by the operator is limited to watching over the patient without necessarily having to accompany the user out of the parallel bar system.







#### 01325 PARALLEL BARS PLUS 2M


It is a 2-meter long parallel bar system used for physical or rehabilitative training activity and includes painted steel framework and a wooden, laminated, wearproof footboard and is equipped with access ramps. The handrails are thermoplastic and nonslip. All parts can easily be washed. These parallel bars can be adjusted for height with the innovative "STandGOSystemTM", which allows immediate adaptation to the build of the user - both adults and children. The height of the handrails can also be modified during rehabilitation. Additionally, the distance between the handrails can be adjusted. The modularity allows creating (with items code no. 01325 and code no. 01326) parallel bar systems of the desired length by removing the access flights from the joining side. Thermoplastic modules or bags can be used to create specific therapeutic rehabilitation walkpaths. Weight: 73 kg.



It is a 3-meter long parallel bar system that has the same features as the 2-meter model (code no. 01325). Weight: 99 kg







The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.







Handrail width adjustment system

TECHNICAL SPECIFICATION		
ARTICLE CODE	01325	01326
	Plus 2M	Plus 3M
Max dimensions (cm)	211 x 81 x 108 H	311 x 81 x 108 H
Handrail height adjustment system	double gas spring	double gas spring
Min – max handrail height (cm)	74 ÷ 102	74 ÷ 102
Handrail width adjustment system	Manual, 3 positions	Manual, 3 positions
Handrail width min - max (cm)	55 ÷ 71	55 ÷ 71
Individual handrail loadbearing capacity	135 Kg	135 Kg
Modularity (combination of more parallel bars)	Access slide	Access slide
Weight	73 Kg	99 Kg

#### **ACCESSORIES**

Modular walk paths:

08586 ROLLS AND BAGS

08587 SENSORY MODULES

08589 HEMISPHERES

08591 CONCAVE-CONVEX 01330 OBSTACLE-HURDLE MODULES

**02400** 1 KG GAIT BAG

02410 2 KG GAIT BAG

**02420** 3 KG GAIT BAG

02500 300 G MOTOR TRAINING BAG

02510 MOTOR TRAINING BAG SET.

08585 SET OF SENSORY BAGS

01379 SET OF THERAPY WALK PATHS 01335 CART FOR PORTABLE WALK PATHS

To support the patient:

01380 PARALLEL BAR GLIDER AC0550 LIMIT BAR


See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.





"The geometrical features of the parallel bars in the Plus Line allow covering anthropometric measures of an ample population by simply and immediately adapting themselves to both adults as well as children. In addition, the adjustment system allows immediately lowering the height of the handrails when the patient is able to withstand a greater load of his/her own body weight."

**Dr. Marsilio Saccavini**Director of the Integrated Department for Geriatrics and Rehabilitation
Hospital University Center, Parma (Italy)






# S7and GO System™ Plus Line, parallel bars for adults




**01327** PARALLEL BARS PLUS 3 M TILT

It is a 3-meter long parallel bar system used for physical or rehabilitative training activity and includes painted steel framework, a wooden, laminated, wearproof footboard and is equipped with access ramps. The handrails are thermoplastic and non-slip. All parts can easily be washed. These parallel bars can be adjusted for height with the innovative "STandGOSystem™", which allows immediate adaptation to the build of the user. The height of the handrails can also be modified during rehabilitation. Additionally, the distance between the handrails can be adjusted. The inclination of the main footboard can be varied from 0 to 10 degrees in a simple manner using a manual control. The inclination is servo-controlled by gas springs and allows the therapist to make adjustments with minimal effort, before use by the patient. Thermoplastic modules or bags can be used on the footboard to create specific therapeutic rehabilitation walkpaths.

Weight: 106 kg





The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.







Handrail width adjustment, three positions.

TECHNICAL SPECIFICATION	
ARTICLE CODE	01327
	Plus 3M Tilt
Max dimensions (cm)	311 x 81 x 108 H
Handrail height adjustment system	STandGO™, double gas spring
Min – max handrail height (cm)	74 ÷ 102
Handrail width adjustment system	Manual, 3 positions available
Handrail width min - max (cm)	55 ÷ 71
Footboard inclination adjustment	Manual, gas-assisted
Footboard inclination (degrees)	Max 10°
Maximum load for inclined footboard (kg)	150
Individual handrail loadbearing capacity (Kg)	135
Modularity (combination of more parallel bars)	removable access slide
Weight (Kg)	106

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.

#### **ACCESSORIES**

Modular walk paths:

08586 ROLLS AND BAGS

**08587 SENSORY MODULES** 

**08589 HEMISPHERES** 

08591 CONCAVE-CONVEX

01330 OBSTACLE-HURDLE MODULES

**02400** 1 KG GAIT BAG

02410 2 KG GAIT BAG 02420 3 KG GAIT BAG

02500 300 G MOTOR TRAINING BAG

02510 MOTOR TRAINING BAG SET.

08585 SET OF SENSORY BAGS

01379 SET OF THERAPY WALK PATHS

01335 CART FOR PORTABLE WALK PATHS

To support the patient:

01380 PARALLEL BAR GLIDER





TRAINING IN LIMITED SPACE: The Plus line parallel bars are specifically suitable, for use in very limited space, as they allow the therapist to do extensive work using a wide range of therapeutic – rehabilitation exercises.



## 01328 STANDARD PARALLEL BARS 3M

It is a 3-meter long parallel bar system used for physical or rehabilitative training activity. It includes painted steel framework and a wooden, laminated, wearproof footboard, and is equipped with access reps. The handrails are thermoplastic and non-slip. All parts can easily be washed.

These parallel bars can be adjusted for height using a telescopic system. Locking is assured by a twin hand wheel that prevents both accidental loosening as well as possible slight settling of the uprights when the ambulating person is being loaded.


Thermoplastic modules or bags can be used on the footboard to create specific therapeutic rehabilitation walkpaths.

Weight: 85 kg



 $\epsilon$ 





The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.





#### AC0550 LIMIT BAR

The limit and support accessory can be requested, to assist the user with changing the ambulation direction, and extending the therapeutic – rehabilitation course. This accessory is available for all models.

TECHNICAL SPECIFICATION	
ARTICLE CODE	01328
	Standard 3M
Dimensions max (cm)	311 x 83 x 114 H
Handrail height adjustment system	telescopic
Handrail height min - max (cm)	77 ÷ 107
Handrail width adjustment system	Not available
Handrail width adjustment (cm)	Not available
Footboard incline adjustment	Not available
Individual handrail loadbearing capacity (Kg)	135
Modularity (combination of more parallel bars)	removable access slide
Weight (Kg)	85

#### **ACCESSORIES**

Modular walk paths:

08586 ROLLS AND BAGS 08587 SENSORY MODULES 08589 HEMISPHERES

08591 CONCAVE-CONVEX

01330 OBSTACLE-HURDLE MODULES 02400 1 KG GAIT BAG 02410 2 KG GAIT BAG 02420 3 KG GAIT BAG

02500 300 G MOTOR TRAINING BAG 02510 MOTOR TRAINING BAG SET.

08585 SET OF SENSORY BAGS

01379 SET OF THERAPY WALK PATHS

01335 CART FOR PORTABLE WALK PATHS

To support the patient:

01380 PARALLEL BAR GLIDER AC0550 LIMIT BAR

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.




## **01329** PARALLEL BARS 2.5 M


It is a 2.5-meter long parallel bar system used for physical or or rehabilitative training activity and includes painted steel framework and thermoplastic, non-slip handrails. All the parts can be easily washed.

These parallel bars can be adjusted for height using a telescopic system. Locking is assured by a twin hand wheel that prevents both accidental loosening as well as possible slight settling of the uprights when the ambulating person is being loaded. The framework is foldable and is therefore suitable for use in small spaces. It also allows the reciprocal distance between the handrails to be adjusted. Thermoplastic modules or bags can be used to create specific therapeutic rehabilitation walkpaths. Weight: 43 kg



CE





The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.





Minimum space occupied with the bars closed is 30 cm.

TECHNICAL SPECIFICATION	
ARTICLE CODE	01329
	Standard 2.5M
Dimensions max (cm)	247 x 90 x 110 H
Handrail height adjustment system	telescopic
Handrail height min - max (cm)	80 ÷ 110
Handrail width adjustment system	Not available
Handrail width adjustment (cm)	Not available
Footboard incline adjustment	Not available
Individual handrail loadbearing capacity (Kg)	135
Fold-away	Minimum size 30 cm
Weight (Kg)	43

#### **ACCESSORIES**

Modular walk paths:

08586 ROLLS AND BAGS 08587 SENSORY MODULES

08589 HEMISPHERES 08591 CONCAVE-CONVEX

01330 OBSTACLE-HURDLE MODULES

02400 1 KG GAIT BAG 02410 2 KG GAIT BAG 02420 3 KG GAIT BAG

02500 300 G MOTOR TRAINING BAG

02510 MOTOR TRAINING BAG SET.

08585 SET OF SENSORY BAGS

01379 SET OF THERAPY WALK PATHS

01335 CART FOR PORTABLE WALK PATHS

To support the patient:

01380 PARALLEL BAR GLIDER

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.





## Exercise Staircases for Rehabilitation - Plus Line

In a progressive therapeutic exercise, the use of stairs for rehabilitation is aimed at reintegration to home and creation of possible difficult situations that might occur in the outside environment.





The modular staircases of the Plus Line, such as the parallel bar systems described earlier, feature the innovative STandGOSystem™ which allows simultaneous and precise adjustment of the two lateral handrails while keeping them perfectly parallel by using a single control that requires minimum effort to be operated.

A foot control activates gas springs for continuous movement, thus assuring maximum precision, and the adjustment can be quickly carried out during the rehabilitative exercise.

The stairs in the Plus Line can be simply and immediately adapted to the anthropometric measures of a person - both adults and children. In addition, the adjustment system allows the height of the handrails to be immediately lowered when the patient is able to withstand a greater load of his/her own body weight and improves his/her motor pattern. In this manner, the parallel bars will not be an obstacle to correct posture for the ambulating user during functional recovery.





#### Structural features

The staircase rehabilitation program makes use of a system consisting of a set of raised platforms and staircases, made up of a painted steel framework, with wear-proof bi-laminated wooden steps and platforms, and thermoplastic non-slip handrails. All parts can be easily washed.

#### Safety

The steps have a continuous design, with rounded corners and tread to facilitate positioning of the foot. In addition, the steps have an insert that reduces the possibility of slipping, while at the same time is a secure foothold during walking.

#### Modularity

Three different types of staircase modules, with high or low steps or a ramp, and four platform modules are available in order to create a suitable configuration in relation both to the space available and specific therapeutic rehabilitation programs. The choice of the configuration can be modified or integrated at a later stage.





#### PLATFORM MODULES



#### 01337

PLATFORM WITH 1 STAIRCASE Module intended for use with a single staircase that can be chosen from among three alternatives: low or high steps, or a ramp .



#### 01338

PLATFORM WITH 2 STRAIGHT **STAIRCASES** 

Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp.

A bridge-like structure is created.



#### 01339

PLATFORM WITH 2 CORNER STAIRCASES

Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A corner structure is created.



#### 01340

PLATFORM WITH 3 STAIRCASES Module intended for use with three staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A combined structure is created.



#### 01336

STRAIGHT STAIRCASE SUPPORT Module intended for use with two staircases that can be chosen from among two alternatives: low or high steps. A bridge-like structure is created.

#### STAIRCASE MODULES - PLUS LINE



#### 01342

SHORT PLUS STAIRCASE It includes 3 steps that are 16 cm high. with height adjustable handrails.



#### 01341

LONG PLUS STAIRCASE It includes 5 steps that are 9.5 cm high. with height adjustable handrails.




## **\$7**and **GO** System™

PLUS STAIRCASE WITH **RAMP** 

Combined with the main platform, an inclination equal to 18° is obtained, with height adjustable handrails.

#### STAIRCASE MODULES - STANDARD LINE



#### 01346

STANDARD SHORT **STAIRCASE** 

It includes 3 steps that are 16 cm high, fixed height handrails.



STANDARD LONG STAIRCASE It includes five steps that are 9.5 cm high.

fixed height handrails.

# **S7**and **GO** System™ Plus Line, staircases for rehabilitation



#### 01337 PLATFORM WITH 1 STAIRCASE

Module intended for use with a single staircase and can be chosen from among three alternatives: low or high steps, or a ramp.



01342 SHORT PLUS STAIRCASE It includes 3 steps that are 16 cm high.



01341 LONG PLUS STAIRCASE It includes 5 steps that are 9.5 cm high.




01343 PLUS STAIRCASE WITH RAMP


Combined with the main footboard, an inclination equal to 18° is obtained.


IMPORTANT: when ordering, add the footboard code to the code for the staircase chosen






Some examples of product configuration:







#### **ALTERNATIVE TO THE CONFIGURATION** WITH TWO STRAIGHT STAIRCASES:


If limited space is available, the straight staircase support module code 01336 can be used. This reduces the overall length.



You can see a real picture of this possible configuration with modules of the standard line at page 24.

See the initial pages of this presentation for more details on the principal characteristics of the product.





# 01338 FOOTBOARD 2 STRAIGHT

Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A bridge-like structure is created.



01342 SHORT PLUS STAIRCASE It includes 3 steps that are 16 cm high.




01341 LONG PLUS STAIRCASE It includes 5 steps that are 9.5 cm high.




01343 PLUS STAIRCASE WITH RAMP Combined with the main footboard, an inclination equal to 18° is obtained.

IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen







Some examples of product configuration:




cod. 01338 + 01342 x 2







cod. 01338 + 01341 + 01342



cod. 01338 + 01343 x 2



cod. 01338 + 01342 + 01343



cod. 01338 + 01341 + 01343

See the initial pages of this presentation for more details on the principal characteristics of the product.

# **S7**and **GO** System™ Plus Line, staircases for rehabilitation



## 01339 PLATFORM WITH 2 CORNER

Footboard 2 corner staircases. Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A corner structure is created.



01342 SHORT PLUS STAIRCASE It includes 3 steps that are 16 cm high.




01341 LONG PLUS STAIRCASE It includes 5 steps that are 9.5 cm high.



01343 PLUS STAIRCASE WITH RAMP Combined with the main footboard, an inclination equal to 18° is obtained.

IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen





Some examples of product configuration:




cod. 01339 + 01342 x 2



cod. 01339 + 01341 + 01342



cod. 01339 + 01342 + 01343



cod. 01339 + 01341 x 2



cod. 01339 + 01343 x 2



cod. 01339 + 01341 + 01343

See the initial pages of this presentation for more details on the principal characteristics of the product.







## 01340 PLATFORM WITH 3 STAIRCASES

Footboard 3 staircases. Module intended for use with three staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A combined structure is created.



**01342 SHORT PLUS STAIRCASE** It includes 3 steps that are 16 cm high.




**01341** LONG PLUS STAIRCASE It includes 5 steps that are 9.5 cm high.




**01343** PLUS STAIRCASE WITH RAMP Combined with the main footboard, an inclination equal to 18° is obtained.

IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen






Some examples of product configuration:




cod. 01340 + 01341 + 01342 x 2




 $cod. 01340 + 01343 + 01342 \times 2$ 



cod. 01340 + 01341 + 01342 + 01343



cod.  $01340 + 01342 + 01341 \times 2$ 



cod. 01340 + 01343 + 01341 x 2

See the initial pages of this presentation for more details on the principal characteristics of the product.

# **S7**and **GO** System™ Standard Line, staircases for rehabilitation




## 01336 STRAIGHT STAIRCASE SUPPORT

Module intended for use with two staircases that can be chosen from among two alternatives: low or high steps. A bridge-like structure is created.








## 01346 STANDARD SHORT STAIRCASE

It includes 3 steps that are 16 cm high. The handrails are at a fixed height.




Some examples of product configuration:




## 01345 STANDARD LONG STAIRCASE


It includes five steps that are 9.5 cm high. The handrails are at a fixed height.



cod. 01336 + 01346 x 2




cod. 01336 + 01345 + 01346



cod. 01336 + 01345 x 2

See the initial pages of this presentation for more details on the principal characteristics of the product.



IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen









# 01339 PLATFORM WITH 2 CORNER STAIRCASES

Footboard 2 corner staircases. Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A corner structure is created.





**01346** STANDARD SHORT STAIRCASE It includes 3 steps that are 16 cm high. The handrails are at a fixed height.




Some examples of product configuration:




01345 STANDARD LONG STAIRCASE

It includes five steps that are 9.5 cm high. The handrails are at a fixed height.



cod. 01339 + 01345 + 01346



See the initial pages of this presentation for more details on the principal characteristics of the product.

IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen

## **Posture** Mirrors



The modular structure of our mirrors allow both wall mount and trolley installations. In the second case a modular trolley has to be added to in case of order. The mirrors are conceived to be fixed at the wall in vertical position as standard. Horizontal applications can also be possible upon request and after adapting them in production. The hardware is included in the standard supply.

This product can be used in rehabilitation departments, sports centers, gyms and schools.

PLAIN MIRRORS	DIMENSIONS
03891 PLAIN MIRROR S	80 x 120 h cm
03901 PLAIN MIRROR M	100 x 170 h cm
03911 PLAIN MIRROR L	100 x 200 h cm

GRID MIRRORS	DIMENSIONS
03921 GRID MIRROR S	80 x 120 h cm
03931 GRID MIRROR M	100 x 170 h cm
03941 GRID MIRROR L	100 x 200 h cm





Rectangular grids of 10 x 5 cm

#### 03960 MODULAR TROLLEY

The accessory consists of two separate painted steel supports with hardware to be applied to the posture mirror. This trolley can be used with all the illustrated mirrors.



## **MODULAR TROLLEY**

The Chinesport posture mirrors can be used with the modular trolley, accessory code 03960 - MODULAR TROLLEY for a patient posture control during a therapeutic rehabilitation session of assisted ambulation with parallel bars.




## **OUR POSTURE MIRRORS**

The mirrors are glued to an adhesive film for accident prevention with a sheet of compact polystyrene and a back cover in MDF. Therefore, the safe use is always guaranteed by this specific production technique. Safety tests were made under international






# Chinesport, just a click away



## HEALTHY POSTURE FOR HEALTHY MOVEMENT

The underlying causes of many acute or overuse injuries are often not treated using a conventional diagnostic and therapeutic approach, leading to frequent reinjury and treatment failure. Many leading therapists have discovered that treating the patient's global posture is the key to a successful, fast and efficient treatment regime. Performing a detailed posture analysis is an essential part of a more hollistic therapeutic approach and treatment strategy.

The Healthy Posture for Healthy Movement training courses package gets you off to a flying start with the Chinesport Global Posture System equipment range. Different level courses are based on the latest evidence in posture analysis and treatment of posture related disorders and injuries, each developed and continuously updated by experts with many years of experience using Chinesport Global Posture System equipment. The basic course explains how they use the equipment in order to diagnose interregional dependencies that underlie existing musculoskeletal disorders or increase risk of injury and decreased physical performance. This enables practitioners to quickly and easily understand how to improve treatment protocols and increase therapeutic success. The advanced modules introduce treatment concepts for various postural disorders and injuries, based on many years of practical experience and know how.





Your strong back partner....

Chiroform Ltd
Mariendalsvej 22 • 8800 Viborg
Tel. +4586613611
E-mail: chiroform@chiroform.dk
www.chiroform.com